





COLONNE DE DOUCHE SOLO SAFE




Colonne de douche sécurité. Fabriqué en acier inoxydable 304, Ø 32 mm avec système «Double Water Inlet». Capacité de charge 150 kg. Équipé d'une pomme de douche pivotante en acier inoxydable, d'une douchette à 3 jets et d'un flexible anti-torsion. Complet avec robinet thermostatique et barre horizontale avec crochet de douche à main. Idéal pour une utilisation dans les zones de douche. La poignée à double paroi garantit que la colonne a une double fonction.


- Convient pour un poids utilisateur à 150 kg
- Dimensions: AxBxC 551x548x1283
- Disponible en : RVS satin N1
polished N2



COLONNE DE DOUCHE SOLO SAFE PONTE GIULIO



Artn°	AxBxC (mm)	Poids	Charge
-------	------------	-------	--------



With stainless steel shower head - ø 240 mm.

H51GLL04xx 551x548x1283 300x650 8.4 150

H51GLR04xx 551x548x1283 300x650 8.4 150

With ABS shower head - ø 250 mm.

H51GLL02xx 551x553x1283 300x650 8.4 150

H51GLR02xx 551x553x1283 300x650 8.4 150

Options:



Right solid surface shelf.

F47ANR14W3




Left solid surface shelf

F47ANL14W3



COLONNE DE DOUCHE SOLO SAFE PONTE GIULIO





Hakoma
sanitair